

**Certificate of Analysis**  
 Compliance Test

Test Reg State: Florida

Production Date: 2023-06-06

Extracted From: Industrial Hemp

Lab Batch Date: 2023-06-07  
 Completion Date: 2023-06-12

Initial Gross Weight: 26.583 g



**Potency Tested**



**Heavy Metals Passed**



**Mycotoxins Passed**



**Pesticides Passed**



**Residual Solvents Passed**



**Pathogenic Microbiology Passed**



**Microbiology Petrifilm Passed**

Product Image

**Potency 25 + CBE**

Specimen Weight: 51.780 mg

**Tested**

SOP13.002 (LCUV)

**Potency Summary**

Analyte	LOD (%)	LOQ (%)	Result (mg/g)	(%)
CBD	5.40E-5	0.0015	559.3000	55.9300
CBE	4.83E-5	0.002	81.8600	8.1860
CBT	2.00E-4	0.0015	54.4400	5.4440
CBC	1.80E-5	0.0015	48.8600	4.8860
CBN	1.40E-5	0.0015	40.7600	4.0760
CBG	2.48E-4	0.0015	11.7500	1.1750
CBL	3.50E-5	0.0015	7.7200	0.7720
CBDV	6.50E-5	0.0015	5.6600	0.5660
CBGA	8.00E-5	0.0015	1.2800	0.1280
CBNA	9.50E-5	0.0015	0.4780	0.0478
THCVA	4.70E-5	0.0015	0.3960	0.0396
CBCA	1.07E-4	0.0015	<LOQ	<LOQ
CBDA	1.00E-5	0.0015	<LOQ	<LOQ
CBDVA	1.40E-5	0.0015	<LOQ	<LOQ
Delta-8 THC	2.60E-5	0.0015	<LOQ	<LOQ
Delta-8 THC-O Acetate	2.70E-5	0.003	<LOQ	<LOQ
Delta-8 THCV	4.00E-5	0.0015	<LOQ	<LOQ
Delta-9 THC	1.30E-5	0.0015	<LOQ	<LOQ
Delta-9 THC-O Acetate	7.70E-5	0.003	<LOQ	<LOQ
Delta8-THCP *	3.75E-4	0.0015	<LOQ	<LOQ
Delta9-THCP *	1.17E-5	0.0012	<LOQ	<LOQ
Exo-THC	2.30E-4	0.0015	<LOQ	<LOQ
THCA-A	3.20E-5	0.0015	<LOQ	<LOQ
THCB *	1.80E-4	0.00195	<LOQ	<LOQ
THCH *	3.50E-4	0.00195	<LOQ	<LOQ
THCV	7.00E-6	0.0015	<LOQ	<LOQ
Total Active CBD			559.300	55.930
Total Active THC			<LOQ	<LOQ

<b>Total Active THC</b> None Detected	<b>Total Active CBD</b> 55.930%
<b>Total CBG</b> 1.287%	<b>Total CBN</b> 4.118%
<b>Other Cannabinoids</b> 19.819%	<b>Total Cannabinoids</b> 81.154%

*Aixia Sun*  
 Aixia Sun Lab Director/Principal Scientist  
 D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A \* 0.877), \*Total CBDV = CBDV + (CBDVA \* 0.87), Total Active THC = THCA-A \* 0.877 + Delta 9 THC, Total THC = THCV + (THCVA \* 0.87), CBG Total = (CBGA \* 0.877) + CBG, CBN Total = (CBNA \* 0.877) + CBN, Total CBC = CBC + (CBCA \* 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Other Cannabinoids Total = Total Cannabinoids - All the listed cannabinoids on the summary section, Total Detected Cannabinoids = Delta8-THC + Delta9-THC + Total CBN + CBT + CBE + Delta8-THCV + Total CBG + Total CBD + Total THCV + CBL + Total THC + Total CBC + Total CBDV + Delta10-THC + Total THC-O-Acetate + Total THCP. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram (cfu/g) = Colony Forming Unit per Gram, LOD = Limit of Detection, (µg/g) = Microgram per Gram (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram, ACS uses simple acceptance criteria. Passed - Analyte/microbe is not detected or is at the level below the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034. Failed - Analyte/microbe is at the level that equal or above the action limit per FL rule 64ER20-39, 5K-4.036, 5K-4.034 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.



**Certificate of Analysis**  
 Compliance Test

Test Reg State: Florida

Production Date: 2023-06-06

Extracted From: Industrial Hemp

Initial Gross Weight: 26.583 g

Completion Date: 2023-06-12

**Pathogenic Microbiology - SE (MicroArray)**  
 Specimen Weight: 1006.000 mg

Dilution Factor: 1.000

Analyte	Result (cfu/g)	Analyte
Salmonella	Absence in 1g	STEC E. Coli

**Passed**  
 SOP13.019 (Micro Array)


Result (cfu/g)  
 Absence in 1g

**Microbiology (Petrifilm)**  
 Specimen Weight: 1009.400 mg

Dilution Factor: 1.000

Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)	Analyte	LOQ (cfu/g)	Action Level (cfu/g)	Result (cfu/g)
Aerobic Bacteria	10	1000	<10	Yeast/Mold	10	100	<10

**Passed**  
 SOP13.003 (Petrifilm)

  
 Aixia Sun Lab Director/Principal Scientist  
 D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.



**Certificate of Analysis**  
 Compliance Test

Test Reg State: Florida

Production Date: 2023-06-06

Extracted From: Industrial Hemp

Initial Gross Weight: 26.583 g

Completion Date: 2023-06-12



**Heavy Metals**

Specimen Weight: 249.100 mg

**Passed**  
 SOP13.048 (ICP-MS)

Dilution Factor: 200

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Arsenic (As)	4.83	100	1500	<LOQ	Lead (Pb)	11.76	100	500	<LOQ
Cadmium (Cd)	.64	100	500	<LOQ	Mercury (Hg)	.58	100	3000	<LOQ



**Mycotoxins**

Specimen Weight: 586.000 mg

**Passed**  
 SOP13.007 (LCMS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Aflatoxin B1	3.0400E-1	6	20	<LOQ	Aflatoxin G2	2.7100E-1	6	20	<LOQ
Aflatoxin B2	7.7000E-2	6	20	<LOQ	Ochratoxin A	7.5400E-1	3.8	20	<LOQ
Aflatoxin G1	3.0400E-1	6	20	<LOQ					



**Residual Solvents - FL (CBD)**

Specimen Weight: 316.200 mg

**Passed**  
 SOP13.039 (GCMS)

Dilution Factor: 500.000

Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)	Analyte	LOD (ppm)	LOQ (ppm)	Action Level (ppm)	Result (ppm)
1,1-Dichloroethene	0.0094	0.16	8	ND	Heptane	0.0013	1.39	5000	ND
1,2-Dichloroethane	0.0003	0.04	5	ND	Hexane	0.068	1.17	290	ND
Acetone	0.015	2.08	5000	ND	Isopropyl alcohol	0.0048	1.39	500	ND
Acetonitrile	0.06	1.17	410	ND	Methanol	0.0005	0.69	3000	ND
Benzene	0.0002	0.02	2	ND	Methylene chloride	0.0029	2.43	600	ND
Butanes	0.4167	2.5	2000	ND	Pentane	0.037	2.08	5000	ND
Chloroform	0.0001	0.04	60	ND	Propane	0.031	5.83	2100	ND
Ethanol	0.0021	2.78	5000	ND	Toluene	0.0009	2.92	890	ND
Ethyl Acetate	0.0012	1.11	5000	ND	Total Xylenes	0.0001	2.92	2170	ND
Ethyl Ether	0.0049	1.39	5000	ND	Trichloroethylene	0.0014	0.49	80	ND
Ethylene Oxide	0.0038	0.1	5	ND					

*Aixia Sun*  
 Aixia Sun Lab Director/Principal Scientist  
 D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.



**Certificate of Analysis**  
Compliance Test

Test Reg State: Florida

Production Date: 2023-06-06

Extracted From: Industrial Hemp

Initial Gross Weight: 26.583 g

Completion Date: 2023-06-12



**Pesticides**

Specimen Weight: 586.000 mg

**Passed**

SOP13.007 (LCMS/GCMS)

Dilution Factor: 2.560

Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Action Level (ppb)	Result (ppb)
Abamectin	2.8800E-1	28.23	100	<LOQ	Fludioxonil	1.7400E+0	48	100	<LOQ
Acephate	2.3000E-2	30	100	<LOQ	Hexythiazox	4.9000E-2	30	100	<LOQ
Acequinocyl	9.5640E+0	48	100	<LOQ	Imazalil	2.4800E-1	30	100	<LOQ
Acetamiprid	5.2000E-2	30	100	<LOQ	Imidacloprid	9.4000E-2	30	400	<LOQ
Aldicarb	2.6000E-2	30	100	<LOQ	Kresoxim Methyl	4.2000E-2	30	100	<LOQ
Azoxystrobin	8.1000E-2	10	100	<LOQ	Malathion	8.2000E-2	30	200	<LOQ
Bifenazate	1.4150E+0	30	100	<LOQ	Metalaxyl	8.1000E-2	10	100	48.190
Bifenthrin	4.3000E-2	30	100	<LOQ	Methiocarb	3.2000E-2	30	100	<LOQ
Boscalid	5.5000E-2	10	100	<LOQ	Methomyl	2.2000E-2	30	100	<LOQ
Captan	6.1200E+0	30	700	<LOQ	methyl-Parathion	1.7100E+0	10	100	<LOQ
Carbaryl	2.2000E-2	10	500	<LOQ	Mevinphos	2.1500E+0	10	100	<LOQ
Carbofuran	3.4000E-2	10	100	<LOQ	Myclobutanil	1.0290E+0	30	100	<LOQ
Chlorantraniliprole	3.3000E-2	10	1000	<LOQ	Naled	9.5000E-2	30	250	<LOQ
Chlordane	1.0000E+1	10	100	<LOQ	Oxamyl	2.5000E-2	30	500	<LOQ
Chlorfenapyr	3.4000E-2	30	100	<LOQ	Pacllobutrazol	6.5000E-2	30	100	<LOQ
Chlormequat Chloride	1.0800E-1	10	1000	<LOQ	Pentachloronitrobenzene	1.3200E+0	10	150	<LOQ
Chlorpyrifos	3.5000E-2	30	100	<LOQ	Permethrin	3.4300E-1	30	100	<LOQ
Clofentezine	1.1900E-1	30	200	<LOQ	Phosmet	8.2000E-2	30	100	<LOQ
Coumaphos	3.7700E+0	48	100	<LOQ	Piperonylbutoxide	2.9000E-2	30	3000	<LOQ
Cyfluthrin	3.1100E+0	30	500	<LOQ	Prallethrin	7.9800E-1	30	100	<LOQ
Cypermethrin	1.4490E+0	30	500	<LOQ	Propiconazole	7.0000E-2	30	100	<LOQ
Daminozide	8.8500E-1	30	100	<LOQ	Propoxur	4.6000E-2	30	100	<LOQ
Diazinon	4.4000E-2	30	100	<LOQ	Pyrethrins	2.3593E+1	30	500	<LOQ
Dichlorvos	2.1820E+0	30	100	<LOQ	Pyridaben	3.2000E-2	30	200	<LOQ
Dimethoate	2.1000E-2	30	100	<LOQ	Spinetoram	8.0000E-2	10	200	<LOQ
Dimethomorph	5.8300E+0	48	200	<LOQ	Spinosad	8.8000E-2	30	100	<LOQ
Ethoprophos	3.6000E-1	30	100	<LOQ	Spiromesifen	2.6100E-1	30	100	<LOQ
Etofenprox	1.1600E-1	30	100	<LOQ	Spirotetramat	8.9000E-2	30	100	<LOQ
Etoxazole	9.5000E-2	30	100	<LOQ	Spiroxamine	1.3100E-1	30	100	<LOQ
Fenhexamid	5.1000E-1	10	100	<LOQ	Tebuconazole	6.7000E-2	30	100	<LOQ
Fenoxycarb	1.0700E-1	30	100	<LOQ	Thiacloprid	6.4000E-2	30	100	<LOQ
Fenpyroximate	1.3800E-1	30	100	<LOQ	Thiamethoxam	5.0000E-2	30	500	<LOQ
Fipronil	1.0700E-1	30	100	<LOQ	Trifloxystrobin	3.7000E-2	30	100	<LOQ
Flonicamid	5.1700E-1	30	100	<LOQ					

*Aixia Sun*  
Aixia Sun Lab Director/Principal Scientist  
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions are found on page 1

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard. The tests and/or calibrations marked with an "\*" are not ISO/IEC 17025:2017 accredited test results.

